

Product data sheet

Specifications



Socket Outlet Cover Plate, C2000 Series, Vertical Mount, for Twin Vertical Switched Socket

C2025VC2-BA

Main

Range of product	Classic Series C2000
Product brand	Clipsal
Colour	Brushed aluminium

Complementary

Marking	Without marking
Surface finish	Glossy
Mounting position	Vertical
Product destination	Socket-outlet
Colour code	BA

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	13 cm
Package 1 Width	75 cm
Package 1 Length	115 cm
Package 1 Weight	0.023 kg
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	115 cm
Package 2 Width	85 cm
Package 2 Length	155 cm
Package 2 Weight	0.23 kg
Unit Type of Package 3	CAR
Number of Units in Package 3	100
Package 3 Height	260 cm
Package 3 Width	220 cm
Package 3 Length	345 cm
Package 3 Weight	2.3 kg

Contractual warranty

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	0.3 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	0.1 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0.1 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	0.1 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile

Use Better



Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant By Exemption
REACH Regulation	Reference contains Substances of Very High Concern above the threshold
Halogen-free status	Halogen free product
PVC free	No

Use Again



Repack and remanufacture

Recyclability potential, in %	40
End of life manual availability	No need of specific recycling operations
Take-back	No